





# **Contents**

Description	Page
001 Double Cylinder Deadlatch	4
001 Double Cylinder Deadlatch with Lever	5
002 Single Cylinder Deadlatch	6
002 Single Cylinder Deadlatch with Lever	7
001 Deadlatch Combination Lockset	8
002 – 3 Deadlatch Combination Lockset	9
Ordering Procedures	10



# 001 Double Cylinder Deadlatch™

The Lockwood 001 Deadlatch<sup>TM</sup> with <u>LOCKALERT</u> status indicator and <u>SAFETYRELEASE</u>.

# **Features & Specifications**

Deadlock status shown by <u>LOCKALERT</u> with indicator red when deadlock is engaged and green when released. <u>SAFETYRELEASE</u> automatically unlocks the internal knob upon entry.

High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener.

Exceeds Highest Security and Durability requirements in AS 4145.2.

Bolt hold-back function activated by external key or internal knob.

Can be key locked in hold-back position by key from inside.

Can be keyed alike to other Lockwood door locks.

#### Case

High purity zinc alloy.

### Backset

60 mm.

#### Bolt

Stainless steel 18 mm projection.

#### **Door Thickness**

30 to 45 mm.

### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

#### Cylinders

Internal and external 5 pin tumbler mechanism.

Brass cylinders and brass barrels.

# **Keying**

### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.



# **Finishes**

#### Standard

Gold Plated GLD
Satin Chrome SC
Bright Chrome CP
Brown BRN
White WH

Refer page 10 for Ordering Procedure.

# 001-1K1 with Open In Strike - Single Pack

Suitable for INWARD opening timber framed doors.


Available in trade and display pack and in all finishes.

# 001-1K2 with Open In Strike - Twin Pack

Suitable for INWARD opening timber framed doors.

Keyed alike for extra convenience.


Available in trade and display pack and in all finishes.



# 001-3K1 with Metal Frame Strike - Single Pack

Suitable for INWARD opening metal framed doors.


Available in trade pack only and in all finishes.



# 001-4K1 with Open Out Strike - Single Pack

Suitable for OUTWARD opening timber framed doors.

Available in trade pack only and in all finishes.





# 001 Double Cylinder Deadlatch™ with Lever

The Lockwood 001 Deadlatch<sup>TM</sup> with <u>LOCK</u>ALERT status indicator and <u>SAFETYRELEASE</u>.

# **Features & Specifications**

Deadlock status shown by **LOCKALERT** with indicator red when deadlock is engaged and green when released. Convenience of a lever handle operation.

**<u>SAFETY</u>R<u>ELEASE</u>** automatically unlocks the internal lever upon entry.

High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener.

Exceeds Highest Security and Durability requirements in AS 4145.2

Bolt hold-back function activated by external key or internal lever.

Can be key locked in hold-back position by key from inside.

Can be keyed alike to other Lockwood door locks.

#### Case

High purity zinc alloy.

### **Backset**

60 mm.

### Bolt

Stainless steel 18 mm projection.

#### **Door Thickness**

30 to 45 mm.

#### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

### Cylinders

Internal and external 5 pin tumbler mechanism.

Brass cylinders and brass barrels.

# **Keying**

### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

# **Finishes**

# Standard

Gold Plated GLD
Satin Chrome SC
Bright Chrome CP
Brown BRN
White WH

Refer page 10 for Ordering Procedure.

# 001-1L1 with Open In Strike - Single Pack

Suitable for INWARD opening timber framed doors.


Available in trade and display pack and in all finishes.

# 001-1L2 with Open In Strike - Twin Pack

Suitable for INWARD opening timber framed doors.

Keyed alike for extra convenience.


Available in trade pack only and in all finishes.



# 001-3L1 with Metal Frame Strike – Single Pack

Suitable for INWARD opening metal framed doors.


Available in trade pack only and in all finishes.



# 001-4L1 with Open Out Strike - Single Pack

Suitable for OUTWARD opening timber framed doors.

Available in trade pack only and in all finishes.





# 002 Single Cylinder Deadlatch™

# **Features & Specifications**

High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener.

Exceeds Highest Security and Durability requirements in AS 4145.2.

Bolt hold-back function activated by external key or internal knob.

Can be keyed alike to other Lockwood door locks.

### Case

High purity zinc alloy.

#### **Backset**

60 mm.

#### Bolt

Stainless steel 18 mm projection.

### Door Thickness

30 to 45 mm.

#### Cylinder

5 pin tumbler mechanism outside. Brass cylinder and brass barrel.

#### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

# **Keying**

# Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

### **Special Keying**

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.







# **Finishes**


### Standard

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP
Brown	BRN
White	WH

Refer page 10 for Ordering Procedure.

# 002-1K1 with Open In Strike - Single Pack


Suitable for INWARD opening timber framed doors. Available in trade pack only and in all finishes.



# 002-3K1 with Metal Frame Strike - Single Pack

Suitable for INWARD opening metal framed doors.


Available in trade pack only and in all finishes.



# 002-4K1 with Open Out Strike - Single Pack

Suitable for OUTWARD opening timber framed doors.

Available in trade pack only and in SC and CP finishes only.





# 002 Single Cylinder Deadlatch™ with Lever

# **Features & Specifications**

High security with cut resistant stainless steel bolt, 11 concealed anchorage points and door frame strengthener.

Exceeds Highest Security and Durability requirements in AS 4145.2

Can be keyed alike to other Lockwood door locks.

### Case

High purity zinc alloy.

#### **Backset**

60 mm.

#### **Bolt**

Stainless steel 18 mm projection.

### **Door Thickness**

30 to 45 mm.

#### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

#### Cylinde

5 pin tumbler mechanism outside. Brass cylinder and brass barrel.







# **Keying**

# Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

### **Special Keying**

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

# **Finishes**

# Standard


Gold Plated Satin Chrome GLD SC

Refer page 10 for Ordering Procedure.

# 002-1L1 with Open In Strike - Single Pack

Suitable for INWARD opening timber framed doors.


Available in trade pack only and in GLD and SC finishes only.




# 002-4L1 with Open Out Strike - Single Pack

Suitable for OUTWARD opening timber framed doors.

Available in trade pack only and in SC finish only.









# 001 Deadlatch™ Combination Lockset

The Lockwood 001 Deadlatch™

Combination Lockset with LOCKALERT status indicator and SAFETYRELEASE, complete with a stylish door furniture plate and lever set which allows the home owner to use the front door as a normal passage set when the bolt is on hold-back.

# **Features & Specifications**

Deadlock status shown by **LOCKALERT** with indicator red when deadlock is engaged and green when released. Convenience of lever handle operation.

Trim plate to complement deadlatch and lever set.

<u>SAFETY</u>R<u>ELEASE</u> automatically unlocks the internal knob upon entry.

Automatic deadlatching.

High security with cut resistant stainless steel bolt.

Exceeds Highest Security and Durability requirements in AS 4145.2.

Bolt hold-back function activated by external key or internal knob.

Can be key locked in hold-back position by key from inside.

Can be construction keyed and keyed alike to other Lockwood door locks.

#### Case

High purity zinc alloy.

# Backset

60 mm.

### Bolt

Stainless steel 18 mm projection.



#### Door Thickness

32 to 45 mm.

### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

#### Cylinders

Internal and external 5 pin tumbler mechanism.

Brass cylinders and brass barrels.

# **Standard Finishes**

Gold Plated GLD
Satin Chrome SC
Bright Chrome CP

Refer page 10 for Ordering Procedure.

# **Keying**

#### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

#### **Special Keying**

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

# 001-1C with Open In Strike - Single Pack

Suitable for INWARD opening timber framed doors.


Available in trade pack only and in all finishes.

# 001-3C with Metal Frame Strike - Single Pack


Suitable for INWARD opening metal framed doors.

Available in trade pack only and in GLD and CP finishes only.


Lever Option #34 Saltbush illustrated.




# **Lever Options**




Waratah #28



Acacia #29



Lilly #31



Banksia #33



Saltbush #34



Spinifex #35\*



Mulga #36\*



Gidgee #37\*



# 002 - 3C Deadlatch™ Combination Lockset

Suitable for INWARD opening metal framed doors, the Lockwood 002 Deadlatch™ Combination Lockset comes complete with a stylish door furniture plate and lever set which allows the home owner to use the front door as a normal passage set when the bolt is on hold-back.

# **Features & Specifications**

Convenience of lever handle operation.

Trim plate to complement deadlatch and lever set

Automatic deadlatching.

High security with cut resistant stainless steel bolt.



Tested to 2 hours on fire door assemblies in accordance with Australian Standard AS 1905 Part 1, Fire Resistant Doorsets.

Exceeds Highest Security and Durability requirements in AS 4145.2

Bolt hold-back function activated by external key or internal knob.

Can be construction keyed and keyed alike to other Lockwood door locks.

#### Case

High purity zinc alloy.

# **Backset**

60 mm.

### Bolt

Stainless steel 18 mm projection.



#### **Door Thickness**

32 to 45 mm.

### **Packers**

3 mm thick packer plates are available. These packers are installed under lock body to align lock body with face of jamb.

### Cylinders

External 5 pin tumbler mechanism. Brass cylinder and brass barrel.

#### Standard Finishes

Gold Plated	GLD
Satin Chrome	SC
Bright Chrome	CP

Refer page 10 for Ordering Procedure.

# **Keying**

### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.


### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

# 002-3C with Metal Frame Strike - Single Pack

Suitable for INWARD opening metal framed doors.

Available in trade pack only and in all finishes.




Lever Option #34 Saltbush illustrated.


# **Lever Options**




Waratah #28



Acacia #29



Lilly #31



Banksia #33



Saltbush #34



Spinifex #35\*



Mulga #36\*



Gidgee #37\*



# **Ordering Procedure**





Notes	



# Visit us at: www.lockwoodsecurity.com.au

# Sales Offices & Authorised Agents

### Victoria - Head Office

50 Edward Street Oakleigh Vic. 3166

(03) 8574 3888 Telephone Facsimile (03) 8574 3788

#### **Queensland South**

450 Sherwood Road Sherwood Qld 4075

Telephone (07) 3373 5200 (07) 3373 5256 Facsimile

### **Queensland North**

Ralph Buck Agencies 15 Mackley Street Garbutt Qld 4814

(07) 4779 0177 Telephone Facsimile (07) 4775 1480

### **New South Wales**

Unit 7, 192 Kingsgrove Road Kingsgrove NSW 2208 (02) 9554 4011 Telephone Facsimile (02) 9554 3772

#### South Australia

182 Maqill Road Norwood SA 5067 (08) 8364 1930 Telephone (08) 8364 1931

# Western Australia

45 Gladstone Street East Perth WA 6004

(08) 9227 9588 Telephone Facsimile (08) 9227 8913

### Tasmania

Facsimile

23 Antill Street South Hobart Tas. 7000 (03) 6223 5404 Telephone Facsimile (03) 6224 0435

# **New Zealand**

9B Mahunga Drive Mangere Bridge Auckland New Zealand Telephone (09) 634 5590 Facsimile (09) 634 5589

# Victoria

50 Edward Street Oakleigh Vic. 3166

Telephone (03) 8574 3888 Facsimile (03) 8574 3788

**Manufacturing Plants** 

#### Queensland

450 Sherwood Road Sherwood Qld 4075

(07) 3373 5200 Telephone Facsimile (07) 3373 5256

# **Export Department**

50 Edward Street Oakleigh Vic. 3166

Telephone +61 (0)3 8574 3888 Facsimile +61 (0)3 8574 3700

#### **Asian Offices**

ASSA ABLOY - Malaysia ASSA ABLOY - Singapore ASSA ABLOY - Thailand ASSA ABLOY - Hong Kong ASSA ABLOY - Shanghai ASSA ABLOY - Beijing

Contact the Export Department, Australia for details.

# **Worldwide Distributors**

Contact the Export Department, Australia for details.

### Visit Our Website



www.lockweb.com.au



### **Lockwood Guarantee**

Lockwood Security Products Ptv Limited ("Lockwood") guarantees its products against defects in workmanship and materials. If within the normal working life of a product it is found to be defective. Lockwood will supply the same or an equivalent product free of charge.

All electrical components used in our products are guaranteed for a period of five years from the date of manufacture. Lockwood however, assumes no liability under this guarantee for the

- 1. Improper installation or failure to follow fitting instructions
- 2. Failure due to improper maintenance or fair wear and tear.
- 3. Indirect or consequential loss or damage.
- Cost of removal and/or replacement.

- 5. Cost of freight and/or travelling time.
- 6. The plated finishes, Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass are classified as soft finishes. As deterioration is possible under some climatic conditions, these finishes are excluded from this guarantee
- 7. Any modification to a product as supplied, or repairs, unless authorised by Lockwood.
- 8. Use of replacement parts other than authorised parts.
- 9. Malfunction or failure of the product due to the use of non-genuine Lockwood parts.

Nothing in the Lockwood guarantee excludes, restricts or modifies any condition, warranty, right or liability implied or protected by law where to do so would render the Guarantee, or any part of it void