




3540 Series

Short Backset Mortice Locks



An ASSA ABLOY Group brand

ASSA ABLOY

3540 Series Short Backset Mortice Locks

Lockwood's comprehensive range of Short Backset Cylinder Mortice Locksets offer a selection of lock functions ideally suited for narrow stile hinged and sliding doors.

Typical installations are glazed architectural and commercial stiles where conventional locksets with longer backsets are unsuitable.



3540 Series Cylinder Mortice Deadlocks with 22 mm bolt

Locksets incorporating a swinging deadbolt action suitable for hinged and some sliding doors.

Features include unique 360° key rotation, positive deadlocking action and sintered stainless steel bolt.



3542 Series Cylinder Mortice Deadlocks with 35 mm bolt

Swing door deadlocks combining the quality features of the 3540 series with a 35 mm deadbolt for deeper stiles and improved security.



3541 Series Cylinder Mortice Deadlocks with 28 mm hook bolt

Sliding and swing door deadlocks combining the quality features of the 3540 Series with a hooked deadbolt to engage and lock into a dead latching or security strike when the bolt is in the thrown position.

The bolt is operated by key, turnknob or lever. 30 mm backset version is also available.

3540 Series Short Backset Mortice Locks

Contents

Description	Page
General Information	4
Ordering Procedure	5
3540 Deadlocks	6
3541 Hook Bolts and 3542 Deadlocks	8
Accessories	10
590/3540 Conversion Chart	11
3540 Function Matrix	13
Dulux Powdercoat Colour Chart	13
Accessories/Function Matrix	14

3540 Series General Information

Application

A wide range of security cylinder mortice locks suitable for heavy duty use in industrial and commercial buildings, institutions, clubs, schools, hospitals, hotels, retail and similar buildings.

Features & Specifications

All 3540 Series cylinder mortice locks are built of the finest materials, with the easy action and solid feel of the world's finest locks.

Case & Cover Plates

High purity zinc alloy material cases and aluminium cover plates.

Brass plates provided for plated finishes available for standard and timber applications.

Backset

23 mm standard backset.

Extended backset 30 mm is available on application. (Refer to Ordering Procedure).

Bolts

Bolts are sintered stainless steel, in lengths of 22 mm (3540), 28 mm (3541) and 35 mm (3542). The 28 mm is hooked to suit sliding and swing applications and chamfered for better self latching.

Lock and Strike Rear Support

To prevent the lock and strike from being pushed into the frame in sliding door applications a rear support mechanism has been developed.

Springs

High-grade spring steel material, corrosion protected.

Cylinder Retaining Pin

Hard-drawn spring steel wire, corrosion protected.

Door Thickness

Suits hollow stile door sections with 28 mm internal width and 58 mm maximum external width.

Timber Doors: 32 to 58 mm

Note: For Lever SP3540-L1 the maximum external stile width is 50 mm.

Cylinder

Five pin tumbler mechanism. Standard Lockwood oval shaped, brass cylinders and brass plugs.

Door Clearance

To ensure correct functioning of the hook bolt on swing doors when used in conjunction with the security and latching strikes, the clearance between the frame and the door should be 3 mm. However, the hook bolt will engage between 0 mm and 5.5 mm gap, on fabricator fixing, and 0 mm – 7.5 mm with metal/timber fixing.

Security

S2 HIGH SECURITY

All 3540 Series Cylinder Mortice Locks conform with Level S2 (Physical Security) Australian Lock Standard (AS-4145.2-1993). Conformance with Level S3 (Physical Security) is available upon request.

Durability

D3 DURABILITY

All 3540 Series Cylinder Mortice Locks conform with level D3 (Durability) Australian Lock Standard (AS 4145.2-1993).

Keying

Standard keying

Supplied individually keyed with two keys per lock. 78,000 key combinations. Key blank KB2015P.

Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

Standard Finish

Satin Chrome

SC

Polyester Powdercoat finishes are available to suit aluminium section.


Other finishes are available on application.

Specification Service


For all architectural hardware specification assistance refer to your local ASSA ABLOY Sales Office.

A fully comprehensive, obligation free, architectural door hardware specification can be prepared by ASSA ABLOY Architectural Hardware Consultants.


Fixing Methods



Fabricator Fixing




Metal Fixing



Timber Fixing

3540 Series Short Backset Mortice Locks

3540 Series Ordering Procedure



Code

1. Backset

Nominate backset as required, eg 3 = 23 mm backset.

2. Fixing

Select fixing, eg 5 = Fabricator.

3. Lock Body

Select lock body with relevant bolt type, eg. 42 = 35 mm bolt.

4. External Function

eg. R = R cam cylinder.

5. Internal Function

eg. T1 = Escape Turn.

6. Finish

Select appropriate finish, eg. SC. Other finishes available on application. Refer to Polyester Powdercoat (PC) Colour Chart on page 13.

7. Options

Where additional options are required, specify as necessary. eg. NCYL = No Cylinder.

3540 Series Short Backset Mortice Locks

3540 Short Backset Mortice Deadlocks

Short backset, swinging-bolt deadlocks suitable for narrow stile hinged doors.

Positive action deadbolt locked or unlocked by either key, turnknob, escape turn or handle.

Suitable for sliding doors where lock can be mounted to door jamb and deadbolt engages strike mounted to face of door.

Features & Specifications

Materials

High quality zinc alloy case.
Brass turnknobs and cylinder escutcheons.
Zinc die cast levers.

Backset

23 mm.

Bolt

Sintered stainless steel.

Door Thickness

Suits hollow stile door sections with 28 mm internal width and 58 mm maximum external width.

Timber Doors: 32 to 58 mm

For Lever SP3540-L1 the maximum external stile width is 50 mm.

Cylinder

5 pin tumbler mechanism.
Brass cylinders and brass barrels.

Standard Finish

Satin Chrome

SC

Other finishes available on application.

Keying

Standard keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

Special keying

Can be keyed alike, master keyed, grand master keyed, Maison Keyed or construction keyed in Lockwood security keying systems.


Ordering procedure

Refer to page 5.

Accessories

As there is a large variety of turnknobs and levers available, please refer to the Accessories Matrix on page 14.

Cylinder escutcheons are supplied in complete locksets but not primary locks.



3540 Series Short Backset Mortice Locks


3540 Short Backset Mortice Deadlocks

Cylinder and Turnknob

Reversible.
 Outside – locked or unlocked by key.
 Inside – locked or unlocked by turnknob/lever.

22 mm bolt projection

Fabricator pack	3540RT4
Brass coverplate for metal door	3640RT2
Brass coverplate for timber door	3740RT3




Double Cylinder

Reversible.
 Recommended for glass doors.
 Outside – locked or unlocked by key.
 Inside – locked or unlocked by key.

22 mm bolt projection

Fabricator pack	3540RR
Brass coverplate for metal door	3640RR
Brass coverplate for timber door	3740RR



Single cylinder

Reversible.
 Suitable for glass doors.
 Lockset may be installed with cylinder either outside or inside.
 Outside/inside – locked or unlocked by key.

22 mm bolt projection

Fabricator pack	3540R-
Brass coverplate for metal door	3640R-
Brass coverplate for timber door	3740R-



Single Turnknob

Reversible.
 Lockset may be installed with turnknob either outside or inside.
 Outside/inside – locked or unlocked by turnknob/lever.

22 mm bolt projection


Fabricator Pack	3540-T4
Brass coverplate for metal door	3640-T2
Brass coverplate for timber door	3740-T3



3540 Primary Lock

Reversible.
 Primary lock can be adapted to suit any function with the addition of appropriate cylinders and turns.
Refer to page 14 for accessory options.


Reversible 22 mm bolt fabricator pack	3540
Reversible 22 mm bolt metal	3640
Reversible 22 mm bolt timber	3740



Anti-lockout Deadlock

Outside – opened by key.
 Inside – opened by turnsnib at all times, but cannot lock with turnsnib*.
***Lever/Turnsnib ordered separately.
 Refer to page 14 for accessory options.**

Reversible 22 mm bolt fabricator pack	3540RE
Reversible 22 mm bolt metal	3640RE
Reversible 22 mm bolt timber	3740RE



3540 Series Short Backset Mortice Locks

3541 Hook Bolt and 3542 Swing Bolt Short Backset Deadlocks

Short backset, swinging-bolt deadlocks suitable for narrow stile sliding and swing doors. Positive action deadbolt is hooked to engage and lock into a latching or security strike when the bolt is in the thrown position (3541 only). Deadbolt is locked or unlocked by either key, turnknob, escape turn or handle.

Features & Specifications

Materials

High quality zinc alloy case.
Brass turnknobs and cylinder escutcheons.
Zinc die cast lever and escutcheon.

Backset

23 mm and 30 mm* (*3541 only).

Bolt

Bolts are sintered stainless steel, in lengths of 28 mm (3541) and 35 mm (3542).

The 28 mm is hooked to suit sliding and swing applications and chamfered for better self latching.

Refer Function Matrix on page 13.

Door Thickness

Suits hollow stile door sections with 28 mm internal width and 58 mm maximum external width.

Timber Doors: 32 to 58 mm

Note: For Lever SP3540-L1 the maximum external stile width is 50mm.

Cylinder

5 pin tumbler mechanism.
Brass cylinders and brass barrels.

Standard Finish

Satin Chrome SC
Other finishes available on application.

Keying

Standard keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.

Special keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

Ordering procedure


Refer to page 5.

Accessories

As there is a large variety of turnknobs and levers available, please refer to the Accessories Matrix on page 14.

Strikes

Latching strike for sliding doors and non latching security strike for swing doors to protect against jemmying.




3540 Series Short Backset Mortice Locks

3541 Hook Bolt and 3542 Swing Bolt Short Backset Deadlocks

Cylinder and Turnknob

Reversible.
Outside – locked or unlocked by key.
Inside – locked or unlocked by turnknob.


Bolt Projection	28mm	35 mm
Fabricator pack	3541RT4	3542RT4
Brass coverplate for metal door	3641RT2	3642RT2
Brass coverplate for timber door	3741RT3	3742RT3



Double cylinder

Reversible.
Recommended for glass doors.
Outside – locked or unlocked by key.
Inside – locked or unlocked by key.

Bolt Projection	28mm	35 mm
Fabricator pack	3541RR	3542RR
Brass coverplate for metal door	3641RR	3642RR
Brass coverplate for timber door	3741RR	3742RR



Single cylinder

Reversible.
Suitable for glass doors.
Lockset may be installed with cylinder either outside or inside.
Outside/inside – locked or unlocked by key.

Bolt Projection	28mm	35 mm
Fabricator pack	3541R-	3542R-
Brass coverplate for metal door	3641R-	3642R-
Brass coverplate for timber door	3741R-	3742R-



Single Turnknob

Reversible.
Lockset may be installed with turnknob either outside or inside.
Outside/inside – locked or unlocked by turnknob.

Bolt Projection	28mm	35 mm
Fabricator pack	3541-T4	3542-T4
Brass coverplate for metal door	3641-T2	3642-T2
Brass coverplate for timber door	3741-T3	3742-T3



Primary Lock

Reversible.
Primary lock can be adapted to suit any function with the addition of appropriate cylinders and turns.
Refer to page 10 for accessory options.

Bolt Projection	28mm	35 mm
Fabricator pack	3541	3542
Brass coverplate for metal door	3641	3642
Brass coverplate for timber door	3741	3742



3541 Primary Lock Extended Backset

Reversible.
30 mm extended backset.
Primary lock can be adapted to suit any function with the addition of appropriate cylinders and turns.
Refer to page 10 for accessory options.


Bolt Projection	28mm
Fabricator pack	5541
Brass coverplate for timber door	5741



Anti-lockout Deadlock

Outside – opened by key.
Inside – opened by turnsnib at all times, but cannot lock with turnsnib*.
***Lever/Turnsnib ordered separately.**
Refer to page 14 for accessory options.

Bolt Projection	28mm	35 mm
Fabricator pack	3541RE	3542RE
Brass coverplate for metal door	3641RE	3642RE
Brass coverplate for timber door	3741RE	3742RE



3540 Series Short Backset Mortice Locks

Accessories

Materials.

Brass Turnknobs and Cylinder Escutcheons

Zinc Diecast Levers

All turnsnibs and levers are supplied with relevant spindles, fixing screws and nuts.

Turnsnibs



SP3540-T1 Escape Turn



SP3540-T2 Boomerang Turn



SP3540-T4 Cylinder Turn



SP3540-T5
Cylinder Escape Turn

Levers



SP3540-L1 45° Lever



SP3540-L2 90° Lever

Miscellaneous



SP3540-E Anti-lock Adaptor




SP3540-RB Retrofit Bracket Kit
contains 2 brackets and screws.




- SP3540-2 Cylinder
- SP3540-CE Cylinder Escutcheon and retaining clip
- Sold Separately


Strikes




SP3540 -LS
Latch Strike Fabricator Mounting



SP3540-SS
Security Strike Fabricator Mounting



SP3640-SS
Latching Strike Timber/Metal Jamb



SP3640-SS
Security Strike Timber/Metal Jamb

3540 Series Short Backset Mortice Locks

590/3540 Function Conversion Chart

590 SERIES	DESCRIPTION	3540 SERIES
590-101SC	36MM BOLT/ METAL DOOR/ CYL & TURN	3642RT2SC
590-102SC	36MM BOLT/ TIMBER DOOR/ CYL & TURN	3742RT3SC
590-103SC	36MM BOLT/ METAL DOOR/ DOUBLE CYL	3642RRSC
590-104SC	36MM BOLT/ TIMBER DOOR/ DOUBLE CYL	3742RRSC
590-105SC	36MM BOLT/ METAL DOOR/ SINGLE CYL	3642R-SC
590-106SC	36MM BOLT/ TIMBER DOOR/ SINGLE CYL	3742R-SC
590-107SC	36MM BOLT/ METAL DOOR/ SINGLE TURN	3642-T2SC
590-108SC	36MM BOLT/ TIMBER DOOR/ SINGLE TURN	3742-T3SC
590-1082-90LSC	36MM BOLT/ METAL DOOR/ CYL & 90 DEGREE LEVER L/HAND	3642RL3SC
590-1082-90RSC	36MM BOLT/ METAL DOOR/ CYL & 90 DEGREE LEVER R/HAND	3642RL2SC
590-1082SC	36MM BOLT/ METAL DOOR/ CYL & 45 DEGREE LEVER	3642RL1SC
590-1182-90LSC	22MM BOLT/ METAL DOOR/ CYL & 90 DEGREE LEVER L/HAND	3640RL3SC
590-1182-90RSC	22MM BOLT/ METAL DOOR/ CYL & 90 DEGREE LEVER R/HAND	3640RL2SC
590-1182SC	22MM BOLT/ METAL DOOR/ CYL & 45 DEGREE LEVER	3640RL1SC
590-1202SC	22MM BOLT/ METAL DOOR/ CYL & ESCAPE TURN	3640RT1SC
590-1282-90LSC	22MM BOLT/ TIMBER DOOR/ CYL & 90 DEGREE LEVER L/HAND	3740RL3SC
590-1282-90RSC	22MM BOLT/ TIMBER DOOR/ CYL & 90 DEGREE LEVER R/HAND	3740RL2SC
590-1282SC	22MM BOLT/ TIMBER DOOR/ CYL & 45 DEGREE LEVER	3740RL1SC
590-1SC	22MM BOLT/ METAL DOOR/ CYL & TURN	3640RT2SC
590-2SC	22MM BOLT/ TIMBER DOOR/ CYL & TURN	3740RT3SC
590-3SC	22MM BOLT/ METAL DOOR/ DOUBLE CYL	3640RRSC
590-4SC	22MM BOLT/ TIMBER DOOR/ DOUBLE CYL	3740RRSC
590-5SC	22MM BOLT/ METAL DOOR/ SINGLE CYL	3640R-SC
590-6SC	22MM BOLT/ TIMBER DOOR/ SINGLE CYL	3740R-SC
590-7SC	22MM BOLT/ METAL DOOR/ SINGLE TURN	3640-T2SC
590-8SC	22MM BOLT/ TIMBER DOOR/ SINGLE TURN	3740-T2SC
590-303SC	36MM BOLT/ ARMOUR PLATE/ DOUBLE CYL	DISCONTINUED
590-305SC	36MM BOLT/ ARMOUR PLATE/ SINGLE CYL	DISCONTINUED
590-3102SC	36MM BOLT/ METAL DOOR/ CYL & ESCAPE TURN	3642RT1SC
590F-101SC	36MM BOLT/ FABRICATOR/ CYL & TURN	3542RT4SC
590F-103SC	36MM BOLT/ FABRICATOR/ DOUBLE CYL	3542RRSC
590F-105SC	36MM BOLT/ FABRICATOR/ SINGLE CYL	3542R-SC
590F-107SC	36MM BOLT/ FABRICATOR/ SINGLE TURN	3542-T4SC
590F-1082-90LSC	36MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER L/HAND	3542RL3SC
590F-1082-90RSC	36MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER R/HAND	3542RL2SC
590F-1082SC	36MM BOLT/ FABRICATOR/ CYL & 45 DEGREE LEVER	3542RL1SC
590F-1182-90LSC	22MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER L/HAND	3540RL3SC
590F-1182-90RSC	22MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER R/HAND	3540RL2SC
590F-1182SC	22MM BOLT/ FABRICATOR/ CYL & 45 DEGREE LEVER	3540RL1SC
590F-1202SC	22MM BOLT/ FABRICATOR/ CYL & ESCAPE TURN	3540RT1SC
590F-1SC	22MM BOLT/ FABRICATOR/ CYL & TURN	3540RT4SC
590F-3SC	22MM BOLT/ FABRICATOR/ DOUBLE CYL	3540RRSC
590F-5SC	22MM BOLT/ FABRICATOR/ SINGLE CYL	3540R-SC
590F-7SC	22MM BOLT/ FABRICATOR/ SINGLE TURN	3540-T4SC
590F-3102SC	36MM BOLT/ FABRICATOR/ CYL & ESCAPE TURN	3542RT1SC



3540 Series Short Backset Mortice Locks

590/3540 Function Conversion Chart continued

591 SERIES	DESCRIPTION	3541 SERIES
591-1082-90LSC	28MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER L/HAND	3641RL3SC
591-1082-90RSC	28MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER R/HAND	3641RL2SC
591-1082SC	28MM BOLT/ FABRICATOR/ CYL & 45 DEGREE LEVER	3641RL1SC
591-1282-90LSC	28MM BOLT/ TIMBER DOOR/ CYL & 90 DEGREE LEVER L/HAND	3741RL3SC
591-1282-90RSC	28MM BOLT/ TIMBER DOOR/ CYL & 90 DEGREE LEVER R/HAND	3741RL2SC
591-1282SC	28MM BOLT/ TIMBER DOOR/ CYL & 45 DEGREE LEVER	3741RL1SC
591F-1082-90LSC	28MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER L/HAND	3541RL3SC
591F-1082-90RSC	28MM BOLT/ FABRICATOR/ CYL & 90 DEGREE LEVER R/HAND	3541RL2SC
591F-1082SC	28MM BOLT/ FABRICATOR/ CYL & 45 DEGREE LEVER	3541RL1SC
591-1SC	28MM BOLT/ METAL DOOR/ CYL & TURN	3641RT2SC
591-2SC	28MM BOLT/ TIMBER DOOR/ CYL & TURN	3741RT2SC
591-3SC	28MM BOLT/ METAL DOOR/ DOUBLE CYL	3641RRSC
591-4SC	28MM BOLT/ TIMBER DOOR/ DOUBLE CYL	3741RRSC
591-5SC	28MM BOLT/ METAL DOOR/ SINGLE CYL	3641R-SC
591-6SC	28MM BOLT/ TIMBER DOOR/ SINGLE CYL	3741R-SC
591-7SC	28MM BOLT/ METAL DOOR/ SINGLE TURN	3641-T2SC
591-8SC	28MM BOLT/ TIMBER DOOR/ SINGLE TURN	3741-T2SC
591F-1SC	28MM BOLT/ FABRICATOR/ CYL & TURN	3541RT4SC
591F-3SC	28MM BOLT/ FABRICATOR/ DOUBLE CYL	3541RRSC
591F-5SC	28MM BOLT/ FABRICATOR/ SINGLE CYL	3541R-SC
591F-7SC	28MM BOLT/ FABRICATOR/ SINGLE TURN	3541-T4SC
591-3102SC	36MM BOLT/ METAL/ CYL & ESCAPE TURN	3641RT1SC
591F-3102SC	36MM BOLT/ FABRICATOR/ CYL & ESCAPE TURN	3541RT1SC
NEW LOCK PART NUMBERS		
	DESCRIPTION	PART NUMBER
	S/BACKSET PRIMARY LOCK 22MM BOLT FABRICATOR	3540SC
	S/BACKSET PRIMARY LOCK 28MM BOLT FABRICATOR	3541SC
	S/BACKSET PRIMARY LOCK 35MM BOLT FABRICATOR	3542SC
	S/BACKSET PRIMARY LOCK 22MM BOLT METAL	3640SC
	S/BACKSET PRIMARY LOCK 28MM BOLT METAL	3641SC
	S/BACKSET PRIMARY LOCK 35MM BOLT METAL	3642SC
	S/BACKSET PRIMARY LOCK 22MM BOLT TIMBER	3740SC
	S/BACKSET PRIMARY LOCK 28MM BOLT TIMBER	3741SC
	S/BACKSET PRIMARY LOCK 35MM BOLT TIMBER	3742SC
	S/BACKSET PRIMARY LOCK 28MM BOLT 30MM B/SET FABRICATOR	5541SC
	S/BACKSET PRIMARY LOCK 28MM BOLT 30MM B/SET TIMBER	5741SC
ACCESSORIES		
590 SERIES	DESCRIPTION	3540 SERIES
TURNS		
SP5900-348SC	ESCAPE TURN	SP3540-T1SC
SP590-57SC	"BOOMERANG" TURN FOR METAL DOOR	SP3540-T2SC
SP590-857SC	"BOOMERANG" TURN SNIB FOR TIMBER DOOR	SP3540-T3SC
SP590-957SC	CYLINDER TURN SNIB	SP3540-T4SC
SP590-7003	CYLINDER ESCAPE TURN RIGHT HAND	SP3540-T5SC
SP590-7004	CYLINDER ESCAPE TURN LEFT HAND	SP3540-T6SC
LEVERS		
SP590-1083SC	45 DEGREE LEVER	SP3540-L1SC
SP590-1084SC	90 DEGREE RIGHT HAND LEVER	SP3540-L2SC
SP590-1084SC	90 DEGREE LEFT HAND LEVER	SP3540-L3SC






















3540 Series Short Backset Mortice Locks

3540 Series Function Matrix

	Bolt		
	22 mm	28 mm Hook	35 mm
Fabricator Mounting	✓	✓	✓
Standard Mounting	✓	✓	✓
Timber Mounting	✓	✓	✓
Extended (30 mm) Backset #		✓	
Latching Strike		✓	
Security Strike		✓	

Extended Backset can be used with all mounting types.

Polyester Powdercoat (PC) Colour Chart

				
50279 Dulux Wedgewood Satin	33344 Dulux Horizon Blue Gloss	36603 Dulux Azure Grey Satin	32786 Dulux APO Grey Satin	81880 Dulux Special White Gloss
				
36858 Dulux Oyster Matt	33704 Dulux Tropics Gloss	33662 Dulux Pottery Satin	32774* Dulux Claret Satin	32999* Dulux Charcoal Gloss
				
33149 Dulux Red Earth Gloss	51032 Dulux Old Mauve Satin	32694* Dulux Black Gloss	19319* Dulux Black Matt	19930* Dulux Anodic Bronze Satin
				
81794* Dulux Deep Cherry Red Gloss	50068* Dulux Deep Brunswick Green Gloss	52052* Dulux Black Onyx Gloss	18796* Dulux Charcoal Metallic Gloss	51275 Dulux Anotec Dark Grey Matt
				
32538 Dulux Stone Beige Matt				

The colours represented on this chart are as close to the actual colours as modern printing processes allow.

* Technical advice should be sought, before using colours marked with an asterisk, where severe ultraviolet exposure conditions exist.

Note: Consideration should be given to match Cylinder Finish, eg PB.



3540 Series Short Backset Mortice Locks

3540 Function/Accessory Matrix

ACCESSORY	SP3540-T1	SP3540-T2	SP3540-T3	SP3540-T4	SP3540-T5	SP3540-T6	SP3540-L1	SP3540-L2	SP3540-L3
FUNCTION*									
3540RT	✓	✓	X	✓	✓	✓	✓	✓	✓
3640RT	✓	✓	X	✓	✓	✓	✓	✓	✓
3740RT	X	X	✓	✓	✓	✓	X	X	X
3540-T	✓	✓	X	✓	✓	✓	✓	✓	✓
3640-T	✓	✓	X	✓	✓	✓	✓	✓	✓
3740-T	X	X	✓	✓	✓	✓	X	X	X
3540RE	✓	✓	X	X	X	X	✓	✓	✓
3640RE	✓	X	X	X	X	X	✓	✓	✓
3740RE	X	X	✓	X	X	X	X	X	X

✓ = Turnknob/Lever will work with function.

X = Turnknob/Lever not recommended for use with function.

* Applies to all 22/28/35 mm bolts.

Visit us at: www.assaabloyasiapacific.com

ASSA ABLOY Sales Offices & Authorised Agents in Asia Pacific

Sales Offices - Australia

Victoria – Head Office

Corner of Edward Street & Huntingdale Road
Oakleigh VIC 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland South

450 Sherwood Road
Sherwood QLD 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

Queensland North

Ralph Buck Agencies
15 Mackley Street
Garbutt QLD 4814
Telephone (07) 4779 0177
Facsimile (07) 4775 1480

New South Wales – Commercial

Unit 1/16 Atkinson Road
Taren Point NSW 2229
Telephone (02) 8543 3700
Facsimile (02) 9531 7944

New South Wales – Residential

Unit 8/20-22 Foundry Road
Seven Hills NSW 2147
Telephone (02) 9624 2666
Facsimile (02) 9620 9340

New South Wales – Abloy

5/372 Eastern Valley Way
Chatswood NSW 2067
Telephone (02) 9882 6066

South Australia

182 Magill Road
Norwood SA 5067
Telephone (08) 8139 0403
Facsimile (08) 8364 1975

Western Australia

45 Gladstone Street
East Perth WA 6004
Telephone (08) 9227 9588
Facsimile (08) 9227 8913

Tasmania

23 Antill Street
South Hobart TAS 7000
Telephone (03) 6223 5404
Facsimile (03) 6224 0435

Sales Offices - New Zealand

Auckland – Residential

6 Armstrong Road
North Harbour Industrial Estate
Albany, Auckland, New Zealand
Telephone +64 (0)9 415 7111
Facsimile +64 (0)9 415 7222

Auckland – Sales Office

10 Haultain Street
Eden Terrace
Auckland, New Zealand
Telephone +64 (0)9 634 5590
Facsimile +64 (0)9 634 5589

Christchurch – Sales Office

112 Wordsworth Street
Sydenham
Christchurch, New Zealand
Telephone +64 (0)3 348 2294
Facsimile +64 (0)3 379 4819

Wellington

Display Centre, Level 3,
10 Hutt Road, Petone
Wellington, New Zealand
Telephone +64 (0)4 913 4214
Facsimile +64 (0)4 913 4213

Manufacturing Plants

Victoria

Corner of Edward Street & Huntingdale Road
Oakleigh VIC 3166
Telephone (03) 8574 3888
Facsimile (03) 8574 3788

Queensland

450 Sherwood Road
Sherwood QLD 4075
Telephone (07) 3373 5200
Facsimile (07) 3373 5256

New Zealand

6 Armstrong Road
North Harbour Industrial Estate
Albany, Auckland, New Zealand
Telephone +64 (0)9 415 7111
Facsimile +64 (0)9 415 7222

Security Merchants Australia

Unit 144/45 Gilby Road
Axxess Business Park
Mount Waverley, Victoria 3149
Telephone +61 (0)3 9558 8455
Facsimile +61 (0)3 9558 8466

Security Merchants New Zealand

8-10 Haultain Street
Eden Terrace
Auckland, New Zealand
Telephone +64 (0)9 355 9240
Facsimile +64 (0)9 307 1752

Export Department

Corner of Edward Street & Huntingdale Road
Oakleigh VIC 3166 Australia
Telephone +61 (0)3 8574 3888
Facsimile +61 (0)3 8574 3789

Asian Offices

ASSA ABLOY – Malaysia

ASSA ABLOY – Singapore

ASSA ABLOY – Thailand

ASSA ABLOY – Hong Kong

ASSA ABLOY – Shanghai

ASSA ABLOY – Beijing

ASSA ABLOY – Korea

ASSA ABLOY – India

Contact the Export Department,
Australia for details.

Worldwide Distributors

Contact the Export Department,
Australia for details.



ASSA ABLOY

Lockwood Warranty

ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") warrants its Lockwood products against defects in workmanship and materials, subject to the limitations and exclusions set out in this Warranty. If, within the normal working life of a product, it is found to be defective, and none of the limitations and exclusions set out in this Warranty apply, ASSA ABLOY will supply the same or equivalent product free of charge. This is the only remedy granted by ASSA ABLOY under this Warranty.

Limitations

All electrical and electronic components used in ASSA ABLOY's Lockwood range of products (excluding batteries) are guaranteed for a period of 12 months from the date of proof of purchase, unless stated otherwise.

Exclusions

This Warranty does not cover:

- Damage to or malfunction or failure of the Lockwood product caused or contributed to by:
 - improper installation or failure to follow fitting instructions;
 - improper maintenance;
 - fair wear and tear;
 - any modification or repair which has not been authorised by ASSA ABLOY;
 - use of substitute or replacement parts or cylinders other than genuine ASSA ABLOY parts or cylinders; or
 - use of batteries other than those specified by ASSA ABLOY.

2. The cost of:

- removal and/or replacement of the Lockwood product;
- freight and/or travelling time;
- replacement batteries; or
- any modification or repairs to a Lockwood product, unless authorised by ASSA ABLOY.

- Damage to or deterioration of the plated finishes Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass, which are classified as soft finishes, and are subject to deterioration under some environmental conditions.

- Personal injury, property damage or economic loss, however caused.

Symmetry™ 5 Year Finish Warranty

ASSA ABLOY Australia Pty Limited will replace five-year branded Symmetry product if within five years from the proven date of purchase it tarnishes, discolours or corrodes when properly installed and subject to no more than fair wear and tear.

Symmetry™ Everbrass® Warranty

Everbrass® product is coated both on the exterior and interior surfaces with a lifetime anti-tarnish finish. ASSA ABLOY Australia Pty Limited will replace Everbrass® branded product if it corrodes, tarnishes or discolours when properly installed and subject to no more than fair wear and tear.

This Warranty is in addition to and not in substitution for any rights of the purchaser under the Trade Practices Act and state or territory legislation.