

MANSION STRAIGHT SLIDING WINDOWS & DOORS

Capacity:

- Maximum weight: 45kg - 110kg - 170kg.
- Maximum height: 2600mm.
- Joinery thickness: 30mm - 57mm.

Application:

High quality bottom roller gear and fittings to match the best sliding partitions and glazed, flush or panelled windows and doors. There are systems available to handle leaf weights up to 170kg.

Components:


- Top guide channel - brass (94), aluminium (94X), polypropylene (94P) or polypropylene with aluminium supports (94PA). Available in 2m, 3m or 4m and 6m lengths.
- Top guides - tubular section, aluminium (900A). Available in 2m, 3m, 4m and 6m lengths.
- Top guide brackets - soffit fixing, single (3/900).
- Top guide - top-fix, stainless (106RB/94).
- Top guide - end-fix, zinc plated (113RN/94).
- Top guide rollers - double roller, anti-rattle adjustment with edge fixing, stainless (203/900SS).
- Top guide T-Rail - (96TA). Available in 2m, 3m, 4m and 6m lengths.
- Bottom rollers - nylon wheel, for leaves up to 45kg (913N).
- Bottom rollers - metal door, for leaves up to 110kg (913A/35mm-36mm-38mm).
- Bottom rollers - metal door, stainless steel, for leaves up to 110kg (913A/36SS).
- Bottom rollers - stainless steel with adjustable wheel, for leaves up to 170kg (913SBA).
- Bottom rollers - brass wheel, for leaves up to 170kg (913SB).
- Bottom rail - aluminium (915X). Available in 2m, 2.5m or 3m lengths.
- Bottom rail - brass (915). Available in 2m, 2.5m or 3m lengths.
- Bottom rail - brass (918). Available in 2m, 2.5m or 3m lengths.

Optional Extras:

- Flush Bolts.
- Handles.
- Locks - a wide variety of locking options are available within the Interlock range of products.
- Stops.

Please note:

- Top guide channel and bottom rail should be twice the width of the door (more if doors slide further).
- Brackets fixed every 900mm maximum and at channel joints.
- Guides, two per door required.
- Door leaves must be constructed with a deep bottom section for the concealed mortised bottom roller.
- Please refer to the component section for component options and technical detail.



**MANSION STRAIGHT
SLIDING WINDOWS & DOORS**


EXT

INT




MANSION STRAIGHT SLIDING WINDOWS & DOORS

MANSION STRAIGHT
SLIDING WINDOWS & DOORS




MANSION STRAIGHT SLIDING WINDOWS & DOORS


TIMBER DOORS






No. 913N BOTTOM ROLLER – WITH NYLON WHEEL.






No. 913SB BOTTOM ROLLER – WITH BRASS WHEEL




No. 913SBA BOTTOM ROLLER – WITH BRASS WHEEL, ADJUSTABLE.



METAL DOORS



TYPICAL DETAIL



NOT TO SCALE

**MANSION STRAIGHT SLIDING
WINDOWS & DOORS**